Applied Numerical Mathematics 2 (1986) 551–552
North-Holland

AUTHOR INDEX TO VOLUME 2 (1986)

(The issue number is given in front of page numbers)

Abarbanel, S., see **M.D. Salas** (3–5) 193–210

Baines, M.J. and **A.J. Wathen,** Moving finite element modelling of compressible Flow (6) 495–514
Baker, T.J., Mesh generation by a sequence of transformations (6) 515–528
Berzins, M., A C^1 interpolant for codes based on backward differentiation formulae (2) 109–118
Brezinski, C. and **A. Lembarki**, Acceleration of extended Fibonacci sequences (1) 1– 8

Chakravarthy, R., see **A. Harten** (3–5) 347–377
Chen, T.F. and **G.J. Fix,** Least squares finite element simulation of transonic flows (3–5) 399–408

Eiseman, P.R., The local redistribution of points along curves for numerical grid generation (3–5) 427–437
Engquist, B., see **A. Harten** (3–5) 347–377

Fix, G.J., see **T.F. Chen** (3–5) 399–408

García, R., see **H. Power** (2) 79– 94
Goldstein, C.I., The weak element method applied to Helmholtz type equations (3–5) 409–426
Gottlieb, D., see **M.D. Salas** (3–5) 193–210
Gottlieb, D., see **J.C. South Jr.** (3–5) 181–192
Gunzburger, M.D. and **R.A. Nicolaides,** On substructuring algorithms and solution techniques for the numerical approximation of partial differential equations (3–5) 243–256

Hafez, M.M., see **J.C. South Jr.** (3–5) 181–192
Hafez, M.M., G. Kuruvila and **M.D. Salas,** Numerical study of vortex breakdown (3–5) 291–302
Hariharan, S.I. and **R.C. MacCamy,** Low frequency acoustic and electromagnetic scattering (1) 29– 35
Harten, A, S. Osher, B. Engquist and **S.R. Chakravarthy,** Some results on uniformly high-order accurate essentially nonoscillatory schemes (3–5) 347–377
Hemker, P.W. and **S.P. Spekreijse,** Multiple grid and Osher's scheme for the efficient solution of the steady Euler equations (6) 475–493

Jameson, A. and **P.D. Lax,** Conditions for the construction of multi-point total variation diminishing difference schemes (3–5) 335–345
Jeandel, D., see **C. Schmidt-Laine** (1) 43– 56

Keller, H.B., see **Z.-h., Yang** (3–5) 257–271
Kopriva, D.A., A sprectral multidomain method for the solution of hyperbolic systems (3–5) 221–241
Kreiss, G. and **H.-O. Kreiss,** Convergence to steady state of solutions of Burgers' equation (3–5) 161–179
Kreiss, H.-O., see **G. Kreiss** (3–5) 161–179
Kuruvila, G., see **M.M. Hafez** (3–5) 291–302

Lax, D., see **A. Jameson** (3–5) 335–345
Lembarki, A., see **C. Brezinski** (1) 1– 8
Likeness, B.K. and **A.D. Snider,** Efficient optimization of certain functionals in a hypercube (1) 21– 27
Longman, I.M., The summation of series (2) 135–141
Lorente, J., see **V. Ramirez** (1) 37– 42

Macaraeg, M.G. and **C.L. Streett**, Improvements in spectral collocation discretization through a multiple domain technique (2) 95–108
MacCamy, R.C., see **S.I. Hariharan** (1) 29– 35
Mac Giolla Mhuiris, N., Calculations of the stability of some axisymmetric flows proposed as a model of vortex breakdown (3–5) 273–290
Mattheij, R.M.M., On computing smooth solutions to problems with large Lipschitz constants (2) 119–134
Miranda, G., see **H. Power** (2) 79– 94

Neta, B., see **B.P. Sommeijer** (1) 69– 77
Nicolaides, R.A., Construction of higher order accurate vortex and particle methods (3–5) 313–320
Nicolaides, R.A., see **M.D. Gunzburger** (3–5) 243–256

Osher, S., see **A. Harten** (3–5) 347–377

Power, H., R. García and **G. Miranda,** Integral equation solution for the flow due to the motion of a body of arbitrary shape near a plane interface at small Reynolds number (2) 79– 94
Pulliam, T.H., Implicit solution methods in computational fluid dynamics (6) 441–474

Ramirez, V. and **J. Lorente,** C^1 rational quadratic spline interpolation to convex data (1) 37– 42

0168-9274/86/$3.50 © 1986, Elsevier Science Publishers B.V. (North-Holland)

Salas, M.D., see **M.M. Hafez** (3–5) 291–302
Salas, M.D., S. Abarbanel and **D. Gottlieb,** Multiple steady states for characteristic initial value problems (3–5) 193–210
Schmidt-Laine, C. and **D. Jeandel,** A least squares formulation of one-dimensional turbulence models (1) 43– 56
Shyy, W., An adaptive grid method for Navier–Stokes flow computation II: Grid addition (1) 9– 19
Snider, A.D., see **B.K. Likeness** (1) 21– 27
Sommeijer, B.P., On the economization of explicit Runge–Kutta methods (1) 57–68
Sommeijer, B.P., P.J. van der Houwen and **B. Neta,** Symmetric linear multistep methods for second-order differential equations with periodic solutions (1) 69– 77
South, Jr, J.C., M.M. Hafez and **D. Gottlieb,** Stability analysis of intermediate boundary conditions in approximate factorization schemes (3–5) 181–192
Spekreijse, S.P., see **P.W. Hemker** (6) 475–493
Streett, C.L., see **M.G. Macaraeg** (2) 95–108
Swanson, R.C. and **E. Turkel,** Pseudo-time algorithms for the Navier–Stokes equations (3–5) 321–333
Swartz, B.K. and **B. Wendroff,** AZTEC: A front tracking code based on Godunov's method (3–5) 385–397

Ta'asan, S., Multigrid method for a vortex breakdown simulation (3–5) 303–311
Tadmor, E., A minimum entropy principle in the gas dynamics equations (3–5) 211–219
Turkel, E., Accuracy of schemes with nonuniform meshes for compressible fluid flows (6) 529–550
Turkel, E., see **R.C. Swanson** (3–5) 321–333

van der Houwen, P.J., see **B.P. Sommeijer** (1) 69– 77
van Iseghem, J., An extended cross rule for vector Padé approximants (2) 143–155
van Leer, B., On numerical dispersion by upwind differencing (3–5) 379–384

Wathen, A.J., see **M.J. Baines** (6) 495–514
Wendroff, B., see **B.K. Swartz** (3–5) 385–397

Yang, Z.-h. and **H.B. Keller,** Multiple laminar flows through curved pipes (3–5) 257–271